ELSEVIER

Neuroscience Letters 367 (2004) 410–414

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 367

Aerden, L.A.M., Kessels, F.A.G.H., Rutten, B.P.F., Lodder, J., Steinbusch, H.W.M., Diazepam reduces brain lesion size in a photothrombotic model of focal ischemia in rats, 76
Ahonen, J.-P., see Saarela, M.S., 336
Alafuzoff, I., see Kanninen, K., 235
Alavez, S., Morán, J., Franco-Cea, A., Ortega-Gómez, A., Casaletti, L., Cameron, L.C., Myosin Va is proteolysed in rat cerebellar granule neurons after excitotoxic injury, 404
Alegre, M., see Gurtubay, I.G., 6
Alvarez-Cervera, F., see Moo-Puc, R.E., 327
Andreasen, N., see Zetterberg, H., 194
Arankowsky-Sandoval, G., see Moo-Puc, R.E., 327
Arpino, C., see Lucarelli, P., 88
Artieda, J., see Gurtubay, I.G., 6
Assaiante, C., see Martineau, J., 298
Auriola, S., see Kanninen, K., 235

Bagnoli, S., see Nacmias, B., 379
Balbir, A., see Fitzgerald, R.S., 304
Balestrieri, F., see Cincotta, M., 189
Barthélémy, C., see Martineau, J., 298
Bearzatto, B., see Servais, L., 171
Bender, S., see Linka, T., 375
Benedetti, F., see Lattuada, E., 152
Best, N., see Nvue, R., 365
Beyreuther, K., see Jia, H., 123
Binienda, Z., Virmani, A., Przybyla-Zawislak, B., Schmued, L., Neuroprotective effect of L-carnitine in the 3-nitropropionic acid (3-NPA)-evoked neurotoxicity in rats, 264
Bisceglio, G., see Hope, A.D., 97
Blanc, R., see Martineau, J., 298
Blasevich, M., see Petroni, A., 269
Blennow, K., see Zetterberg, H., 194
Bloch, J., see Pralong, E., 332
Booze, R.M., see Huang, J., 85
Borgheresi, A., see Cincotta, M., 189
Boring, L., see Zhu, L., 210
Bracco, L., see Nacmias, B., 379
Broggio, E., see Scacchi, R., 177
Brown, A.W., see Hrometz, S.L., 56
Bruce-Keller, A.J., see Reed, J.L., 60
Bruyer, R., see Campanella, S., 14
Buchanan, J.J., Park, J.-H., Shea, C.H., Systematic scaling of target width: dynamics, planning, and feedback, 317

Cameron, L.C., see Alavez, S., 404
Campanella, S., Rossignol, M., Mejias, S., Joassin, F., Maurage, P., Debatisse, D., Bruyer, R., Crommelinck, M., Guérit, J.M., Human gender differences in an emotional visual oddball task: an event-related potentials study, 14
Campbell, K., see Nelson, S.E., 105
Cappa, M., see Petroni, A., 269
Carp, R.I., see Jin, J.-K., 254
Casaletti, L., see Alavez, S., 404
Cavallaro, R., see Lattuada, E., 152
Cellini, E., see Nacmias, B., 379
Chahory, S., Padron, L., Courtois, Y., Torriglia, A., The LEI/L-DNase II pathway is activated in light-induced retinal degeneration in rats, 205
Chan, P., see Yu, S., 34
Chance, S.A., Tzotzoli, P.M., Vitelli, A., Esiri, M.M., Crow, T.J., The cytoarchitecture of sulcal folding in Heschl's sulcus and the temporal cortex in the normal brain and schizophrenia: lamina thickness and cell density, 384
Chandran, V.R., see Tan, E.-K., 109
Chang, I., see Fitzgerald, R.S., 304
Chen, R., see Xie, Y., 355
Chen, S., see Oda, S., 394
Chen, W.-C., Hayakawa, S., Shimizu, K., Chien, C.-T., Lai, M.-K., Catechins prevents substance P-induced hyperactive bladder in rats via the downregulation of ICAM and ROS, 213
Cheng, C.-Y., see Hou, S.-J., 232
Cheng, H., see Tzeng, S.-F., 23
Cheng, J.-T., see Tang, L.-M., 224
Cheron, G., see Servais, L., 171
Chien, C.-T., see Chen, W.-C., 213
Choi, J.-S., Soderlund, D.M., Cyclosporin A and deltamethrin block the downregulation of Na,1.8 sodium channels expressed in *Xenopus* oocytes, 389
Chung, Y.H., see Shin, D.H., 399
Churchill, L., see Nelson, S.E., 105
Cincotta, M., Borgheresi, A., Balestrieri, F., Giovannelli, F., Rossi, S., Ragazzoni, A., Zaccara, G., Ziemann, U., Involvement of the human dorsal premotor cortex in unimanual motor control: an interference approach using transcranial magnetic stimulation, 189
Clarimon, J., Eerola, J., Hellström, O., Tienari, P.J., Singleton, A., Paraoxonase 1 (*PON1*) gene polymorphisms and Parkinson's disease in a Finnish population, 168
Cocchi, F., see Lattuada, E., 152
Corbo, R.M., see Scacchi, R., 177
Correa, G., see Velez-Pardo, C., 360
Courtois, Y., see Chahory, S., 205
Cowell, P.E., see Whiteside, S.P., 44
Crommelinck, M., see Campanella, S., 14
Crow, T.J., see Chance, S.A., 384
Cummings, D.M., see Milner, A.J., 1
Curatolo, P., see Lucarelli, P., 88

Dan, B., see Servais, L., 171
Daniel, R.T., see Pralong, E., 332
Däuper, J., see Schneider, S., 51
Davies, L.M., see Reed, J.L., 60
Debatisse, D., see Campanella, S., 14
Debatisse, D., see Pralong, E., 332
Del Vecchio, R.A., Gold, L.H., Novick, S.J., Wong, G., Hyde, L.A., Increased seizure threshold and severity in young transgenic CRND8 mice, 164
Desbonnet, L., see Temel, Y., 92
Deutsch, K.M., Newell, K.M., Intra-limb segmental influences on random-like movements in humans, 218

doi:10.1016/S0304-3940(04)01017-1

ELSEVIER

Neuroscience Letters 367 (2004) 410–414

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 367

Aerden, L.A.M., Kessels, F.A.G.H., Rutten, B.P.F., Lodder, J., Steinbusch, H.W.M., Diazepam reduces brain lesion size in a photothrombotic model of focal ischemia in rats, 76
Ahonen, J.-P., see Saarela, M.S., 336
Alafuzoff, I., see Kanninen, K., 235
Alavez, S., Morán, J., Franco-Cea, A., Ortega-Gómez, A., Casaletti, L., Cameron, L.C., Myosin Va is proteolysed in rat cerebellar granule neurons after excitotoxic injury, 404
Alegre, M., see Gurtubay, I.G., 6
Alvarez-Cervera, F., see Moo-Puc, R.E., 327
Andreasen, N., see Zetterberg, H., 194
Arankowsky-Sandoval, G., see Moo-Puc, R.E., 327
Arpino, C., see Lucarelli, P., 88
Artieda, J., see Gurtubay, I.G., 6
Assaiante, C., see Martineau, J., 298
Auriola, S., see Kanninen, K., 235

Bagnoli, S., see Nacmias, B., 379
Balbir, A., see Fitzgerald, R.S., 304
Balestrieri, F., see Cincotta, M., 189
Barthélémy, C., see Martineau, J., 298
Bearzatto, B., see Servais, L., 171
Bender, S., see Linka, T., 375
Benedetti, F., see Lattuada, E., 152
Best, N., see Nvue, R., 365
Beyreuther, K., see Jia, H., 123
Binienda, Z., Virmani, A., Przybyla-Zawislak, B., Schmued, L., Neuroprotective effect of L-carnitine in the 3-nitropropionic acid (3-NPA)-evoked neurotoxicity in rats, 264
Bisceglio, G., see Hope, A.D., 97
Blanc, R., see Martineau, J., 298
Blasevich, M., see Petroni, A., 269
Blennow, K., see Zetterberg, H., 194
Bloch, J., see Pralong, E., 332
Booze, R.M., see Huang, J., 85
Borgheresi, A., see Cincotta, M., 189
Boring, L., see Zhu, L., 210
Bracco, L., see Nacmias, B., 379
Broggio, E., see Scacchi, R., 177
Brown, A.W., see Hrometz, S.L., 56
Bruce-Keller, A.J., see Reed, J.L., 60
Bruyer, R., see Campanella, S., 14
Buchanan, J.J., Park, J.-H., Shea, C.H., Systematic scaling of target width: dynamics, planning, and feedback, 317

Cameron, L.C., see Alavez, S., 404
Campanella, S., Rossignol, M., Mejias, S., Joassin, F., Maurage, P., Debatisse, D., Bruyer, R., Crommelinck, M., Guérit, J.M., Human gender differences in an emotional visual oddball task: an event-related potentials study, 14
Campbell, K., see Nelson, S.E., 105
Cappa, M., see Petroni, A., 269
Carp, R.I., see Jin, J.-K., 254
Casaletti, L., see Alavez, S., 404
Cavallaro, R., see Lattuada, E., 152
Cellini, E., see Nacmias, B., 379
Chahory, S., Padron, L., Courtois, Y., Torriglia, A., The LEI/L-DNase II pathway is activated in light-induced retinal degeneration in rats, 205
Chan, P., see Yu, S., 34
Chance, S.A., Tzotzoli, P.M., Vitelli, A., Esiri, M.M., Crow, T.J., The cytoarchitecture of sulcal folding in Heschl's sulcus and the temporal cortex in the normal brain and schizophrenia: lamina thickness and cell density, 384
Chandran, V.R., see Tan, E.-K., 109
Chang, I., see Fitzgerald, R.S., 304
Chen, R., see Xie, Y., 355
Chen, S., see Oda, S., 394
Chen, W.-C., Hayakawa, S., Shimizu, K., Chien, C.-T., Lai, M.-K., Catechins prevents substance P-induced hyperactive bladder in rats via the downregulation of ICAM and ROS, 213
Cheng, C.-Y., see Hou, S.-J., 232
Cheng, H., see Tzeng, S.-F., 23
Cheng, J.-T., see Tang, L.-M., 224
Cheron, G., see Servais, L., 171
Chien, C.-T., see Chen, W.-C., 213
Choi, J.-S., Soderlund, D.M., Cyclosporin A and deltamethrin block the downregulation of Na,1.8 sodium channels expressed in *Xenopus* oocytes, 389
Chung, Y.H., see Shin, D.H., 399
Churchill, L., see Nelson, S.E., 105
Cincotta, M., Borgheresi, A., Balestrieri, F., Giovannelli, F., Rossi, S., Ragazzoni, A., Zaccara, G., Ziemann, U., Involvement of the human dorsal premotor cortex in unimanual motor control: an interference approach using transcranial magnetic stimulation, 189
Clarimon, J., Eerola, J., Hellström, O., Tienari, P.J., Singleton, A., Paraoxonase 1 (*PON1*) gene polymorphisms and Parkinson's disease in a Finnish population, 168
Cocchi, F., see Lattuada, E., 152
Corbo, R.M., see Scacchi, R., 177
Correa, G., see Velez-Pardo, C., 360
Courtois, Y., see Chahory, S., 205
Cowell, P.E., see Whiteside, S.P., 44
Crommelinck, M., see Campanella, S., 14
Crow, T.J., see Chance, S.A., 384
Cummings, D.M., see Milner, A.J., 1
Curatolo, P., see Lucarelli, P., 88

Dan, B., see Servais, L., 171
Daniel, R.T., see Pralong, E., 332
Däuper, J., see Schneider, S., 51
Davies, L.M., see Reed, J.L., 60
Debatisse, D., see Campanella, S., 14
Debatisse, D., see Pralong, E., 332
Del Vecchio, R.A., Gold, L.H., Novick, S.J., Wong, G., Hyde, L.A., Increased seizure threshold and severity in young transgenic CRND8 mice, 164
Desbonnet, L., see Temel, Y., 92
Deutsch, K.M., Newell, K.M., Intra-limb segmental influences on random-like movements in humans, 218

doi:10.1016/S0304-3940(04)01017-1

Devarajan, K., Rusak, B., Oxytocin levels in the plasma and cerebrospinal fluid of male rats: effects of circadian phase, light and stress, 144
Dimayuga, F.O., see Reed, J.L., 60
Dowgiert, J., see Thomas, D.M., 349
Duricka, D.L., see Nelson, S.E., 105
Dvorak, F., Martinez-Torres, F., Sellner, J., Haas, J., Schellinger, P.D., Schwaninger, M., Meyding-Lamadé, U.K., Experimental herpes simplex virus encephalitis: a long-term study of interleukin-6 expression in mouse brain tissue, 289

Echigo, N., Moriyama, Y., Vesicular inhibitory amino acid transporter is expressed in γ-aminobutyric acid (GABA)-containing astrocytes in rat pineal glands, 79
Eckert, G.P., Keller, J.-H., Jourdan, C., Karas, M., Volmer, D.A., Schubert-Zsilavecz, M., Müller, W.E., Hyperforin modifies neuronal membrane properties in vivo, 139
Eckman, C.B., see Huang, J., 85
Eerola, J., see Clarimon, J., 168
Eller, M., see Tõnissaar, M., 309
Esiri, M.M., see Chance, S.A., 384

Farrer, M.J., see Hope, A.D., 97
Fitzgerald, R.S., Shirahata, M., Wang, H.-Y.J., Balbir, A., Chang, I., The impact of adenosine on the release of acetylcholine, dopamine, and norepinephrine from the cat carotid body, 304
Francescutti-Verbeem, D., see Thomas, D.M., 349
Franco-Cea, A., see Alavez, S., 404
Fujimoto, S., see Nagasawa, K., 246
Fukuda, Y., Kageyama, K., Nigawara, T., Kasagi, Y., Suda, T., Effects of corticotropin-releasing hormone (CRH) on the synthesis and secretion of proopiomelanocortin-related peptides in the anterior pituitary: a study using CRH-deficient mice, 201

Gambina, G., see Scacchi, R., 177
Gao, G., see Xie, Y., 355
Geddes, T.J., see Thomas, D.M., 349
Giovannelli, F., see Cincotta, M., 189
Gold, L.H., see Del Vecchio, R.A., 164
Goldsteins, G., see Kanninen, K., 235
Golomer, E., Mbongo, F., Does footedness or hemispheric visual asymmetry influence centre of pressure displacements?, 148
Góngora-Alfaro, J.L., see Moo-Puc, R.E., 327
Gorianov, V., see Nvue, R., 365
Grass, D.S., see Zhu, L., 210
Guan, H., see Huang, J., 85
Guan, Q.-H., see Pei, D.-S., 71
Guérit, J.M., see Campanella, S., 14
Gurtubay, I.G., Alegre, M., Labarga, A., Malanda, A., Artieda, J., Gamma band responses to target and non-target auditory stimuli in humans, 6

Haas, J., see Dvorak, F., 289
Hagiwara, K., see Murakami, M., 118
Hall, H., see Varnäs, K., 313
Han, S., Interactions between proximity and similarity grouping: an event-related brain potential study in humans, 40
Hanson, A., see Whiteside, S.P., 44
Hao, Z.-B., see Pei, D.-S., 71
Harro, J., see Tõnissaar, M., 309
Hayakawa, S., see Chen, W.-C., 213
Hellström, O., see Clarimon, J., 168
Heo, S., see Moon, C., 133
Hernández-García, A., see Pacheco-Rosado, J., 186
Hersh, L.B., see Huang, J., 85
Hervonen, A., see Saarela, M.S., 336
Hewitt, D., see Zhu, L., 210
Hirose, S., see Zhu, G., 241

Hojo, K., Kawamata, T., Tanaka, C., Maeda, K., Inflammatory glial activation in the brain of a patient with hereditary sensory neuropathy type I with deafness and dementia, 340
Hong, C.-J., see Hou, S.-J., 232
Hoogland, G., see Temel, Y., 92
Hope, A.D., Myhre, R., Kachergus, J., Lincoln, S., Bisceglio, G., Hulihan, M., Farrer, M.J., α-Synuclein missense and multiplication mutations in autosomal dominant Parkinson's disease, 97
Hou, R.C.-W., Wu, C.-C., Yang, C.-H., Jeng, K.-C.G., Protective effects of sesamin and sesamolin on murine BV-2 microglia cell line under hypoxia, 10
Hou, S.-J., Yen, F.-C., Cheng, C.-Y., Tsai, S.-J., Hong, C.-J., *X-box binding protein 1* (*XBP1*) C−116G polymorphisms in bipolar disorders and age of onset, 232
Hourez, R., see Servais, L., 171
Hrometz, S.L., Brown, A.W., Nichols, D.E., Sprague, J.E., 3,4-Methylenedioxymethamphetamine (MDMA, ecstasy)-mediated production of hydrogen peroxide in an in vitro model: the role of dopamine, the serotonin-reuptake transporter, and monoamine oxidase-B, 56
Hu, G., see Sun, X., 19
Huang, J., Guan, H., Booze, R.M., Eckman, C.B., Hersh, L.B., Estrogen regulates neprilysin activity in rat brain, 85
Huang, S., see Xie, Y., 355
Huang, Y.-G., see Jiang, W., 344
Hulihan, M., see Hope, A.D., 97
Hung, S.-C., see Tzeng, S.-F., 23
Hyde, L.A., see Del Vecchio, R.A., 164
Hyman, B.T., see Ingelsson, M., 228

Igarashi, H., see Oda, S., 394
Iijima, T., see Murakami, M., 118
Imbe, H., see Okamoto, K., 259
Inagaki, C., see Iwata, R., 156
Ingelsson, M., Jesneck, J., Irizarry, M.C., Hyman, B.T., Rebeck, G.W., Lack of association of the cholesterol 24-hydroxylase (CYP46) intron 2 polymorphism with Alzheimer's disease, 228
Inoue, T., see Tsuruoka, M., 66
Irizarry, M.C., see Ingelsson, M., 228
Iwata, R., Kitagawa, K., Zhang, N.-Y., Wu, B., Inagaki, C., Non-steroidal anti-inflammatory drugs protect amyloid β protein-induced increase in the intracellular Cl^- concentration in cultured rat hippocampal neurons, 156
Iwazaki, T., Shibata, I., Niwa, S.-I., Matsumoto, I., Selective reduction of chromogranin A-like immunoreactivities in the prefrontal cortex of schizophrenic subjects: a postmortem study, 293

Jang, S.H., see Kim, Y.-H., 181
Jean-Marc, B., see Shang, H., 273
Jeng, K.-C.G., see Hou, R.C.-W., 10
Jeong, B.-H., see Jin, J.-K., 254
Jesneck, J., see Ingelsson, M., 228
Jia, H., Jiang, Y., Ruan, Y., Zhang, Y., Ma, X., Zhang, J., Beyreuther, K., Tu, P., Zhang, D., Tenuigenin treatment decreases secretion of the Alzheimer's disease amyloid β-protein in cultured cells, 123
Jiang, W., Xiao, L., Wang, J.-C., Huang, Y.-G., Zhang, X., Effects of nitric oxide on dentate gyrus cell proliferation after seizures induced by pentylenetrazol in the adult rat brain, 344
Jiang, Y., see Jia, H., 123
Jin, J.-K., Jeong, B.-H., Na, Y.-J., Kim, Y.-S., Carp, R.I., Wie, M.-B., Moon, C., Shin, T., Increased expression of the embryonic intermediate filament, nestin, in the brains of scrapie-infected mice, 254
Jin-fa, G., see Ming, Z., 250
Joassin, F., see Campanella, S., 14
John Betteridge, D., see Smith, C.C.T., 48, 129
Joppich, G., see Schneider, S., 51
Jourdan, C., see Eckert, G.P., 139
Jylhä, M., see Saarela, M.S., 336

Kachergus, J., see Hope, A.D., 97
Kaelin-Lang, A., see Shang, H., 273
Kageyama, K., see Fukuda, Y., 201
Kaneko, S., see Zhu, G., 241
Kanninen, K., Goldsteins, G., Auriola, S., Alafuzoff, I., Koistinaho, J., Glycosylation changes in Alzheimer's disease as revealed by a proteomic approach, 235
Karas, M., see Eckert, G.P., 139
Kasagi, Y., see Fukuda, Y., 201
Kawamata, T., see Hojo, K., 340
Keller, J.-H., see Eckert, G.P., 139
Keller, J.N., see Reed, J.L., 60
Kendig, J.J., see Shumilla, J.A., 29
Kessels, F.A.G.H., see Aerden, L.A.M., 76
Kim, Y.-H., Park, J.-W., Ko, M.-H., Jang, S.H., Lee, P.K.W., Facilitative effect of high frequency subthreshold repetitive transcranial magnetic stimulation on complex sequential motor learning in humans, 181
Kim, Y.-S., see Jin, J.-K., 254
Kishi, K., see Oda, S., 394
Kitagawa, K., see Iwata, R., 156
Ko, M.-H., see Kim, Y.-H., 181
Koistinaho, J., see Kanninen, K., 235
Krueger, J.M., see Nelson, S.E., 105
Kuhn, D.M., see Thomas, D.M., 349
Kumabe, S., see Okamoto, K., 259
Kuroda, M., see Oda, S., 394

Labarga, A., see Gurtubay, I.G., 6
Lai, M.-K., see Chen, W.-C., 213
Lang, D., see Shang, H., 273
Lan-yin, S., see Ming, Z., 250
Lattuada, E., Cavallaro, R., Benedetti, F., Cocchi, F., Lorenzi, C., Smeraldi, E., Genetic dissection of drug effects in clinical practice: CLOCK gene and clozapine-induced diurnal sleepiness, 152
Lee, E., see Shin, D.H., 399
Lee, P.K.W., see Kim, Y.-H., 181
Lehtimäki, T., see Saarela, M.S., 336
Li, C., see Xiong, K., 197
Li, C., see Zhang, C., 283
Li, M., see Xie, Y., 355
Li, Y., see Yu, S., 34
Lincoln, S., see Hope, A.D., 97
Linka, T., Müller, B.W., Bender, S., Sartory, G., The intensity dependence of the auditory evoked N1 component as a predictor of reponse to Citalopram treatment in patients with major depression, 375
Liu, W.K., see Yew, D.T., 113
Liu, X., see Thomas, D.M., 349
Liu, X., see Xie, Y., 355
Liu, Y., see Sun, X., 19
Liu, Y., see Xie, Y., 355
Lodder, J., see Aerden, L.A.M., 76
Lomax, M.I., see Shin, D.H., 399
Lopera, F., see Velez-Pardo, C., 360
Lorenzi, C., see Lattuada, E., 152
Lucarelli, P., Piciullo, A., Palmarino, M., Verdecchia, M., Saccucci, P., Arpino, C., Curatolo, P., Association between presenilin-1 −48C/T polymorphism and Down's syndrome, 88

Ma, C., see Xie, Y., 355
Ma, X., see Jia, H., 123
Maeda, K., see Hojo, K., 340
Maeda, M., see Tsuruoka, M., 66
Malanda, A., see Gurtubay, I.G., 6
Mao, Z., see Xie, Y., 355
Marson, L., Lesions of the periaqueductal gray block the medial preoptic area-induced activation of the urethrogenital reflex in male rats, 278
Martin, A., see Pensini, M., 369
Martineau, J., Schmitz, C., Assaiante, C., Blanc, R., Barthélémy, C., Impairment of a cortical event-related desynchronisation during a bimanual load-lifting task in children with autistic disorder, 298
Martinez-Torres, F., see Dvorak, F., 289
Matsumoto, I., see Iwazaki, T., 293
Mattila, K.M., see Saarela, M.S., 336
Mattioli, R., see Piratello, A.C., 160
Maurage, P., see Campanella, S., 14
Mbongo, F., see Golomer, E., 148
Mejias, S., see Campanella, S., 14
Meyding-Lamadé, U.K., see Dvorak, F., 289
Milner, A.J., Cummings, D.M., Spencer, J.P., Murphy, K.P.S.J., Bi-directional plasticity and age-dependent long-term depression at mouse CA3-CA1 hippocampal synapses, 1
Ming, Z., Zhi-shun, L., Jin-fa, G., Lan-yin, S., Xin-yuan, L., Co-treatment with ethanol enhances the toxicity of 6-hydroxydopamine, 250
Miyoshi, I., see Murakami, M., 118
Mobarakeh, I.I., see Murakami, M., 118
Moon, C., Heo, S., Sim, K.-B., Shin, T., Upregulation of CD44 expression in the spinal cords of rats with clip compression injury, 133
Moon, C., see Jin, J.-K., 254
Moo-Puc, R.E., Villanueva-Toledo, J., Arankowsky-Sandoval, G., Alvarez-Cervera, F., Góngora-Alfaro, J.L., Treatment with subthreshold doses of caffeine plus trihexyphenidyl fully restores locomotion and exploratory activity in reserpinized rats, 327
Moreno, S., see Velez-Pardo, C., 360
Moretto, G., see Scacchi, R., 177
Mori, T., see Murakami, M., 118
Moriyama, Y., see Echigo, N., 79
Morán, J., see Alavez, S., 404
Müller, B.W., see Linka, T., 375
Müller, W.E., see Eckert, G.P., 139
Mun, G.H., see Shin, D.H., 399
Münte, T.F., see Schneider, S., 51
Murakami, M., Mori, T., Nakagawasai, O., Hagiwara, K., Sakurada, Y., Mobarakeh, I.I., Murata, A., Yamadera, F., Miyoshi, I., Tan-No, K., Yanai, K., Tadano, T., Iijima, T., Inhibitory effect of pranidipine on N-type voltage-dependent Ca^{2+} channels in mice, 118
Murata, A., see Murakami, M., 118
Murphy, K.P.S.J., see Milner, A.J., 1
Myhre, R., see Hope, A.D., 97

Na, Y.-J., see Jin, J.-K., 254
Nacmias, B., Piccini, C., Bagnoli, S., Tedde, A., Cellini, E., Bracco, L., Sorbi, S., Brain-derived neurotrophic factor, apolipoprotein E genetic variants and cognitive performance in Alzheimer's disease, 379
Nagai, K., see Nagasawa, K., 246
Nagasawa, K., Nishida, K., Nagai, K., Shimohama, S., Fujimoto, S., Differential expression profiles of PLC-β1 and -δ1 in primary cultured rat cortical neurons treated with *N*-methyl-D-aspartate and peroxynitrite, 246
Nakagawasai, O., see Murakami, M., 118
Nelson, S.E., Duricka, D.L., Campbell, K., Churchill, L., Krueger, J.M., *Homer1a* and *1bc* levels in the rat somatosensory cortex vary with the time of day and sleep loss, 105
Newell, K.M., see Deutsch, K.M., 218
Nichols, D.E., see Hrometz, S.L., 56
Nigawara, T., see Fukuda, Y., 201
Nishida, K., see Nagasawa, K., 246
Niwa, S.-I., see Iwazaki, T., 293
Novick, S.J., see Del Vecchio, R.A., 164
Nvue, R., Gorianov, V., Best, N., Sundstrom, L.E., Pringle, A.K., Time window and pharmacological characterisation of kainate-mediated preconditioning in organotypic rat hippocampal slice cultures, 365

Oda, S., Kishi, K., Yang, J., Chen, S., Yokofujita, J., Igarashi, H., Tanihata, S., Kuroda, M., Thalamocortical projection from the ventral poster-

omedial nucleus sends its collaterals to layer I of the primary somatosensory cortex in rat, 394
Oh, S.H., see Shin, D.H., 399
Okada, M., see Zhu, G., 241
Okamoto, K., Imbe, H., Tashiro, A., Kumabe, S., Senba, E., Blockade of peripheral 5HT3 receptor attenuates the formalin-induced nocifensive behavior in persistent temporomandibular joint inflammation of rat, 259
Ortega-Gómez, A., see Alavez, S., 404
Ortiz-Butrón, R., see Pacheco-Rosado, J., 186

Pacheco-Rosado, J., Hernández-García, A., Ortiz-Butrón, R., Perinatal hypothyroidism increases the susceptibility to lidocaine-kindling in adult rats, 186
Padron, L., see Chahory, S., 205
Pakarian, P., Rayegani, S.M., Shahzadi, S., Effect of Vim thalamic DBS in Parkinson's disease on F wave duration, 323
Palmarino, M., see Lucarelli, P., 88
Park, J.y., see Shin, D.H., 399
Park, J.-H., see Buchanan, J.J., 317
Park, J.-W., see Kim, Y.-H., 181
Pavanni, R., see Tan, E.-K., 109
Pei, D.-S., Sun, Y.-F., Guan, Q.-H., Hao, Z.-B., Xu, T.-L., Zhang, G.-Y., Postsynaptic density protein 95 antisense oligodeoxynucleotides inhibits the activation of MLK3 and JNK3 via the GluR6-PSD-95-MLK3 signaling module after transient cerebral ischemia in rat hippocampus, 71
Pensini, M., Martin, A., Effect of voluntary contraction intensity on the H-reflex and V-wave responses, 369
Petroni, A., Cappa, M., Blasevich, M., Solinas, M., Uziel, G., New findings on X-linked Adrenoleukodystrophy: 5α-reductase isoform 2 relative gene expression is modified in affected fibroblasts, 269
Philips, M.-A., see Tõnissaar, M., 309
Piccini, C., see Nacmias, B., 379
Piciullo, A., see Lucarelli, P., 88
Ping Li, W., see Yew, D.T., 113
Piratello, A.C., Mattioli, R., Effects of Chlorpheniramine and L-histidine on vestibular compensation in goldfish, *Carassius auratus*, 160
Pollo, C., see Pralong, E., 332
Pralong, E., Pollo, C., Bloch, J., Villemure, J.-G., Daniel, R.T., Tétreault, M.-H., Debatisse, D., Recording of ventral posterior lateral thalamus neuron response to contact heat evoked potential in patient with neurogenic pain, 332
Pringle, A.K., see Nvue, R., 365
Przybyla-Zawislak, B., see Binienda, Z., 264
Purchio, A.F., see Zhu, L., 210

Ragazzoni, A., see Cincotta, M., 189
Ramboz, S., see Zhu, L., 210
Ramírez-Gomez, L., see Velez-Pardo, C., 360
Rayegani, S.M., see Pakarian, P., 323
Rebeck, G.W., see Ingelsson, M., 228
Reed, J.L., Dimayuga, F.O., Davies, L.M., Keller, J.N., Bruce-Keller, A.J., Estrogen increases proteasome activity in murine microglial cells, 60
Rinne, J.O., see Saarela, M.S., 336
Rio, M.J.D., see Velez-Pardo, C., 360
Rossi, S., see Cincotta, M., 189
Rossignol, M., see Campanella, S., 14
Röyttä, M., see Saarela, M.S., 336
Ruan, Y., see Jia, H., 123
Ruggeri, M., see Scacchi, R., 177
Rusak, B., see Devarajan, K., 144
Rutten, B.P.F., see Aerden, L.A.M., 76

Saarela, M.S., Lehtimäki, T., Rinne, J.O., Hervonen, A., Jylhä, M., Röyttä, M., Ahonen, J.-P., Mattila, K.M., Interaction between matrix metalloproteinase 3 and the ε4 allele of apolipoprotein E increases the risk of Alzheimer's disease in Finns, 336
Saccucci, P., see Lucarelli, P., 88
Sakurada, Y., see Murakami, M., 118
Sartory, G., see Linka, T., 375
Scacchi, R., Gambina, G., Broggio, E., Moretto, G., Ruggeri, M., Corbo, R.M., The *H+* allele of the lipoprotein lipase (LPL) *Hin*dIII intronic polymorphism and the risk for sporadic late-onset Alzheimer's disease, 177
Schellinger, P.D., see Dvorak, F., 289
Schiffmann, S.N., see Servais, L., 171
Schmitz, C., see Martineau, J., 298
Schmued, L., see Binienda, Z., 264
Schneider, S., Joppich, G., van der Lugt, A., Däuper, J., Münte, T.F., Brain potentials and self-paced random number generation in humans, 51
Schubert-Zsilavecz, M., see Eckert, G.P., 139
Schwaninger, M., see Dvorak, F., 289
Sellner, J., see Dvorak, F., 289
Senba, E., see Okamoto, K., 259
Servais, L., Bearzatto, B., Hourez, R., Dan, B., Schiffmann, S.N., Cheron, G., Effect of simple spike firing mode on complex spike firing rate and waveform in cerebellar Purkinje cells in non-anesthetized mice, 171
Shahzadi, S., see Pakarian, P., 323
Shang, H., Lang, D., Jean-Marc, B., Kaelin-Lang, A., Localization of *DJ-1* mRNA in the mouse brain, 273
Shea, C.H., see Buchanan, J.J., 317
Shen, H., see Tan, E.-K., 109
Shibata, I., see Iwazaki, T., 293
Shimizu, K., see Chen, W.-C., 213
Shimohama, S., see Nagasawa, K., 246
Shin, D.H., Lee, E., Chung, Y.H., Mun, G.H., Park, J., Lomax, M.I., Oh, S.H., Subcellular localization of WD40 repeat 1 protein in PC12 rat pheochromocytoma cells, 399
Shin, T., see Jin, J.-K., 254
Shin, T., see Moon, C., 133
Shirahata, M., see Fitzgerald, R.S., 304
Shumilla, J.A., Sweitzer, S.M., Kendig, J.J., Acute and chronic ethanol exacerbates formalin pain in neonatal rats, 29
Sim, K.-B., see Moon, C., 133
Singleton, A., see Clarimon, J., 168
Smeraldi, E., see Lattuada, E., 152
Smith, C.C.T., John Betteridge, D., Plasma β-amyloid (Aβ) 40 concentration, lipid status and age in humans, 48
Smith, C.C.T., Stanyer, L., Betteridge, D.J., Soluble β-amyloid (Aβ) 40 causes attenuation or potentiation of noradrenaline-induced vasoconstriction in rats depending upon the concentration employed, 129
Soderlund, D.M., see Choi, J.-S., 389
Solinas, M., see Petroni, A., 269
Sorbi, S., see Nacmias, B., 379
Spencer, J.P., see Milner, A.J., 1
Spincemaille, G.H., see Temel, Y., 92
Sprague, J.E., see Hrometz, S.L., 56
Stanyer, L., see Smith, C.C.T., 129
Steinbusch, H.W.M., see Aerden, L.A.M., 76
Steinbusch, H.W.M., see Temel, Y., 92
Stewart, R.R., see Xiong, K., 197
Suda, T., see Fukuda, Y., 201
Sun, X., Liu, Y., Hu, G., Wang, H., Activities of cAMP-dependent protein kinase and protein kinase C are modulated by desensitized nicotinic receptors in the rat brain, 19
Sun, Y.-F., see Pei, D.-S., 71
Sundstrom, L.E., see Nvue, R., 365
Sweitzer, S.M., see Shumilla, J.A., 29

Tadano, T., see Murakami, M., 118
Tan, C., see Tan, E.-K., 109
Tan, E.-K., Tan, C., Zhao, Y., Yew, K., Shen, H., Chandran, V.R., Teoh, M.-L., Yih, Y., Pavanni, R., Wong, M.-C., Genetic analysis of DJ-1 in a cohort Parkinson's disease patients of different ethnicity, 109

Tanaka, C., see Hojo, K., 340
Tang, L.-M., Cheng, J.-T., Tong, Y.-C., Inhibitory effect of buflomedil on prostate α_{1A} adrenoceptor in the Wistar rat, 224
Tanihata, S., see Oda, S., 394
Tan-No, K., see Murakami, M., 118
Tashiro, A., see Okamoto, K., 259
Tedde, A., see Nacmias, B., 379
Temel, Y., Visser-Vandewalle, V., van der Wolf, M., Spincemaille, G.H., Desbonnet, L., Hoogland, G., Steinbusch, H.W.M., Monopolar versus bipolar high frequency stimulation in the rat subthalamic nucleus: differences in histological damage, 92
Teoh, M.-L., see Tan, E.-K., 109
Tétreault, M.-H., see Pralong, E., 332
Thomas, D.M., Dowgiert, J., Geddes, T.J., Francescutti-Verbeem, D., Liu, X., Kuhn, D.M., Microglial activation is a pharmacologically specific marker for the neurotoxic amphetamines, 349
Thomas, D.R., see Varnäs, K., 313
Tienari, P.J., see Clarimon, J., 168
Tiihonen, J., see Varnäs, K., 313
Tong, Y.-C., see Tang, L.-M., 224
Tönissaar, M., Philips, M.-A., Eller, M., Harro, J., Sociability trait and serotonin metabolism in the rat social interaction test, 309
Torriglia, A., see Chahory, S., 205
Tsai, M.J., see Tzeng, S.-F., 23
Tsai, S.-J., see Hou, S.-J., 232
Tsuruoka, M., Maeda, M., Inoue, T., Persistent hindpaw inflammation produces coeruleospinal antinociception in the non-inflamed forepaw of rats, 66
Tu, P., see Jia, H., 123
Tupala, E., see Varnäs, K., 313
Tzeng, S.-F., Tsai, M.J., Hung, S.-C., Cheng, H., Neuronal morphological change of size-sieved stem cells induced by neurotrophic stimuli 23
Tzotzoli, P.M., see Chance, S.A., 384

Uéda, K., see Yu, S., 34
Uziel, G., see Petroni, A., 269

van der Lugt, A., see Schneider, S., 51
van der Wolf, M., see Temel, Y., 92
Varnäs, K., Thomas, D.R., Tupala, E., Tiihonen, J., Hall, H., Distribution of 5-HT_7 receptors in the human brain: a preliminary autoradiographic study using [^{3}H]SB-269970, 313
Velez-Pardo, C., Rio, M.J.D., Moreno, S., Ramírez-Gomez, L., Correa, G., Lopera, F., New mutation (T1232P) of the ATP-7B gene associated with neurologic and neuropsychiatric dominance onset of Wilson's disease in three unrelated Colombian kindred, 360
Verdecchia, M., see Lucarelli, P., 88
Villanueva-Toledo, J., see Moo-Puc, R.E., 327
Villemure, J.-G., see Pralong, E., 332
Virmani, A., see Binienda, Z., 264
Visser-Vandewalle, V., see Temel, Y., 92
Vitelli, A., see Chance, S.A., 384
Volmer, D.A., see Eckert, G.P., 139

Wall, M.J., Actions of zinc at mature Golgi cell to granule cell synapses in cerebellum of rats and mice, 101
Wang, H., see Sun, X., 19
Wang, H.-Y.J., see Fitzgerald, R.S., 304
Wang, J.-C., see Jiang, W., 344
Wang, W., see Xie, Y., 355
Wang, X., see Xie, Y., 355
Weight, F.F., see Xiong, K., 197
Whiteside, S.P., Hanson, A., Cowell, P.E., Hormones and temporal components of speech: sex differences and effects of menstrual cyclicity on speech, 44
Wie, M.-B., see Jin, J.-K., 254
Wong, G., see Del Vecchio, R.A., 164
Wong, M.-C., see Tan, E.-K., 109
Wu, B., see Iwata, R., 156
Wu, C.-C., see Hou, R.C.-W., 10

Xiao, L., see Jiang, W., 344
Xie, Y., Liu, Y., Ma, C., Yuan, Z., Wang, W., Zhu, Z., Gao, G., Liu, X., Yuan, H., Chen, R., Huang, S., Wang, X., Zhu, X., Wang, X., Mao, Z., Li, M., Indirubin-3′-oxime inhibits c-Jun NH_2-terminal kinase: anti-apoptotic effect in cerebellar granule neurons, 355
Xin-yuan, L., see Ming, Z., 250
Xiong, K., Stewart, R.R., Weight, F.F., Li, C., Role of extracellular histidines in antagonist sensitivity of the rat $P2X_4$ receptor, 197
Xu, T.-L., see Pei, D.-S., 71

Yamadera, F., see Murakami, M., 118
Yan, H., see Zhang, C., 283
Yanai, K., see Murakami, M., 118
Yang, C.-H., see Hou, R.C.-W., 10
Yang, J., see Oda, S., 394
Yen, F.-C., see Hou, S.-J., 232
Yew, D.T., Ping Li, W., Liu, W.K., Fas and activated caspase 8 in normal, Alzheimer and multiple infarct brains, 113
Yew, K., see Tan, E.-K., 109
Yih, Y., see Tan, E.-K., 109
Yokofujita, J., see Oda, S., 394
Yoshida, S., see Zhu, G., 241
Yu, S., Zuo, X., Li, Y., Zhang, C., Zhou, M., Zhang, Y.A., Uéda, K., Chan, P., Inhibition of tyrosine hydroxylase expression in α-synuclein-transfected dopaminergic neuronal cells, 34
Yuan, H., see Xie, Y., 355
Yuan, Z., see Xie, Y., 355

Zaccara, G., see Cincotta, M., 189
Zetterberg, H., Andreasen, N., Blennow, K., Increased cerebrospinal fluid levels of transforming growth factor-β1 in Alzheimer's disease, 194
Zhang, C., see Yu, S., 34
Zhang, C., Yan, H., Li, C., Zheng, Y., Possible involvement of the facial nucleus in regulation of respiration in rats, 283
Zhang, D., see Jia, H., 123
Zhang, G.-Y., see Pei, D.-S., 71
Zhang, J., see Jia, H., 123
Zhang, N.-Y., see Iwata, R., 156
Zhang, X., see Jiang, W., 344
Zhang, Y., see Jia, H., 123
Zhang, Y.A., see Yu, S., 34
Zhao, Y., see Tan, E.-K., 109
Zheng, Y., see Zhang, C., 283
Zhi-shun, L., see Ming, Z., 250
Zhou, M., see Yu, S., 34
Zhu, G., Okada, M., Yoshida, S., Hirose, S., Kaneko, S., Determination of exocytosis mechanisms of DOPA in rat striatum using in vivo microdialysis, 241
Zhu, L., Ramboz, S., Hewitt, D., Boring, L., Grass, D.S., Purchio, A.F., Non-invasive imaging of GFAP expression after neuronal damage in mice, 210
Zhu, X., see Xie, Y., 355
Zhu, Z., see Xie, Y., 355
Ziemann, U., see Cincotta, M., 189
Zuo, X., see Yu, S., 34